SEQUENCE LISTING

```
<110> TYRRELL, JOHN V.
      BERGQUIST, PATRICIA R.
      BERGQUIST, PETER L.
      SCHOLIN, CHRISTOPHER A.
<120> COMPOSITIONS AND METHODS FOR DETECTING RAPHIDOPHYTES
<130> 50681200121
<140> To be assigned
<141> Herewith
<150> 09/596,136
      60/141,362
<151> 2000-06-16
      1999-06-28
<160> 30
<170> PatentIn Ver. 2.1
<210> 1
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Artificial
<223> olignucleotide probe
<220>
<223> W is A or T/U; K is G or T/U.
<400> 1
                                                                    18
GWATTACCGC GGCKGCTG
<210> 2
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Artificial
<220>
<223> olignucleotide probe
<223> M is A or C; W is A or T/U.
<400> 2
                                                                    18
CAGCMGCCGC GGTAATWC
```

1

W W

1

```
<210> 3
    <211> 19
    <212> DNA
    <213> Artificial Sequence
    <223> Description of Artificial Sequence: Artificial
    <220>
     <223> olignucleotide probe
     <400> 3
                                                                         19
     CGACTGAGCA CGCACCTTT
     <210> 4
     <211> 21
     <212> DNA
     <213> Artificial Sequence
     <223> Description of Artificial Sequence:Artificial
     <220>
     <223> olignucleotide probe
     <400> 4
                                                                          21
     GCGACGGCAA AAAGACCAGG A
<210> 5
With High Man
     <211> 18
     <212> DNA
     <213> Artificial Sequence
     <223> Description of Artificial Sequence: Artificial
     <220>
     <223> olignucleotide probe
     <400> 5
                                                                           19
     GCATGTTGAA ACGCTCCAG
     <210> 6
     <211> 20
     <212> DNA
     <213> Artificial Sequence
     <223> Description of Artificial Sequence: Artificial
     <223> olignucleotide probe
```

#

| <220> <223> olignucleotide probe | |
|--|----|
| <400> 10 CGGCTGGACA CGCTTCTGT | 19 |
| <210> 11 <211> 21 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: Artificial | |
| <220> <223> olignucleotide probe | |
| <400> 11 CAGCACGAAA TATGACCCCC G | 21 |
| <210> 12 <211> 23 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: Artificial | |
| <220> <223> olignucleotide probe | |
| <400> 12 CCATGGGACA CAGCGCGCAC TAC | 23 |
| <210> 13 <211> 22 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: Artificial | |
| <220> <223> olignucleotide probe | |
| <400> 13 TACAAACCAA GGTGCACTAA TG | 22 |
| <210> 14 <211> 27 <212> DNA <213> Artificial Sequence | |

| <220> <223> Description of Artificial Sequence: Artificial | |
|--|----|
| <220> <223> olignucleotide probe | |
| <400> 14 AACTCTCTTT CCAAAGTTCT TTTCATC | 27 |
| <210> 15 <211> 23 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence:Artificial | |
| <220> <223> olignucleotide probe | |
| <400> 15 ACCACGACTG AGCACGCACC TTT | 23 |
| <210> 16 <211> 20 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: Artificial | |
| <220> <223> olignucleotide probe | |
| <400> 16 AGCCCGGGAC CACGACTGAG | 20 |
| <210> 17 <211> 23 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: Artificial | |
| <220> <223> olignucleotide probe | |
| <400> 17 GAGCAAAGGT CCTCCGTCCT AAC | 23 |
| <210> 18 | |

| <211> 27 <212> DNA | | |
|--|------------|----|
| <213> Artificial Sequence | | |
| <220> <223> Description of Artificial Sequence:Artificial | | |
| <220> <223> olignucleotide probe | | |
| <400> 18 TACTCTCTTT TCAAAAGTCT TTTCATC | 27 | |
| <210> 19 | | |
| <211> 22 <212> DNA | | |
| <213> Artificial Sequence | | |
| <220> <223> Description of Artificial Sequence: Artificial | | |
| <220> | | |
| <223> olignucleotide probe | | |
| <400> 19 CCGCTTCACT CGCCGTTACT AG | 22 | |
| | | |
| <210> 20 | | |
| <211> 21 <212> DNA | | |
| <212> DNA <213> Artificial Sequence | | |
| <220> | | |
| <223> Description of Artificial Sequence: Artificial | | |
| <220> | | |
| <223> olignucleotide probe | | |
| <400> 25 TCATCTTTCC CTCACGGTAC TTGTT | | 25 |
| TOATCTITCC CTCACGGIAC TIGIT | | 20 |
| <210> 21 | | |
| <211> 21 | | |
| <212> DNA <213> Artificial Sequence | | |
| <220> | | |
| <223> Description of Artificial Sequence: Artificial | | |
| <220> | | |
| <223> olignucleotide probe | | |
| <400> 21 | 21 | |
| CGGCTGGACA CGCTTCTGTA G | ~ T | |

```
<210> 22
<211> 27
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: Artificial
<220>
<223> olignucleotide probe
<400> 22
AACTCTCTTT CCAAAGTTCT TTTCATC
                                                                   27
<210> 23
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of -Artificial Sequence: Artificial
<400> 23
                                                                   23
AGAGTAGCTG AGCACGCATC TCT
<210> 24
<211> 687
<212> DNA
<213> Chattonella antiqua
<400> 24
TTCTTGAAGC GGAGGAAAAG AACCAACTCG GATTCCCTAG TAACGGCGAG TGAAGCGGGA 60
AGAGCTCATG TTGTAAATCT GGATGAGGAT TCCTCGTCCC GAATTGTAGT CTAGAGATGC 120
GTGCTCAGCT ACTCTCCAGG GCTAAGTCTG TTTGTGAAAG ACAGCATCAT GGACGGTGAT 180
AATCCGGTTC TTGCCTTGGA TGTTGTAGCG TCTTGAGCCG TCCTCAACGA GTCGAGTTGC 240
TTGGGATTGC AGCTCTAAGC GGGTGGTAAA TTCCATCTAA AGCTAAATAT TGGTGGGAGA 300
CCGATAGCGA ACAAGTACCG TGAGGGAAAG ATGAAAAGAA CTTTGAAAAG AGAGTTAAAT 360
AGTACCTGAA ACTGCTGAAA GGGAAGCGAA TGAAGTCAGT GTTGCTCTTT GTTCTCTGCA 420
TCCTCCCTGC GGGGATTGTG TATCGAGGAC TTTGAGCTTG TCAGGATGAG TTCTCTGCCG 480
CGGGATATGG TTTGTGAGCT GGATGCTTCT GCTGAACTCA CTCTCTCTGT CGTGGCTTGG 540
ACTGAGGTTC CATCTTGCCG TTGCCTGCTT GTTACTCTCC TGTTGCTGTT TCTGTCCTAC 600
TGCTTGCAGT GTTCGGTTGC AGTGATTGGA CTGTGCAAGT TATGCATGCA AGGTCAGGAT 660
CCTGACGAAT GGCTTTATTA ACCCGAA
                                                                   687
<210> 25
<211> 681
<212> DNA
<213> Chattonella subsalsa
<400> 25
GCGGAGGAAA AGAACCAACT CGGATTCCCT AGTAACGGCG AGTGAAGCGG GAAGAGCTCA 60
TGTTGTAAAT CTGGATGAGG GTTCCTCGTC CCGAATTGTA GTCTAGAGAT GCGTGCTCAG 120
```

<213> Vacuolaria virescens

```
CTACTCTCCA GGGCTAAGTC TGTTTGTGAA AGACAGTGTC ATGGACGGTG ATAACCCGGT 180
TCTTGCCTTG GATGTTGTAG CGTTTTGAGC CGTCCTCAAC GAGTCGAGTT GCTTGGGATT 240
GCAGCTCTAA GTGGGTGGTA AATTCCATCT AAAGCTAAAT ATTGGTGGGA GACCGATAGC 300
GAACAAGTAC CGTGAGGGAA AGATGAAAAG AACTTTGAAA AGAGAGTTAA ATAGTACCTG 360
AAACTGCTGA AAGGGAAGCG AATGAAGTCA GTGTTGCTCT TTGTGCTCTG CATCCTCCCT 420
GCGGGGATTG TGTATCGAGG ACTTTGAGCT TGTCAGGATG AGTTCTCTGC CGCGGGATAT 480
GTTTTGTATG CTGGATGCTT TTTGCGGAAC ATACATTCTC TGTCGTGGCT TGGACTGAGG 540
TTCCATCTTG CCGTTGCCTG TGCGTTCCTC TCCCGTTGCT GTCTCTGTTC TACTGCTTGC 600
AGTGCTCAGT TGCAGTAGTT GGACTGTGCG TATTATGCAT GCAAGGTCAG GATCCTGACG 660
                                                                   681
AATGGCTTTA TTCACCCGCA A
<210> 26
<211> 703
<212> DNA
<213> Fibrocapsa japonica
<400> 26
CAGAGGAAAA GAAACAACTC GGATTCCCTA GTAACGGCGA GTGAAGCGGG AACAGCTCAT 60
GATGTAAATC TGGGTGACGT TTCGTTACCC CGAATTGTAG TCTACAGAAG CGTGTCCAGC 120
CGCGCCCCCT GGCAAAGTCC CCTGGAACGG GGCATCGTGG ACGGTGACAA TCCGGTTCAT 180
GCCTGGGGTG TCGCGTGTGT ACGGGCCGTT TTCAACGAGT CGAGTTGCTT GGGATTGCAG 240
CTCTAAGCGG GTGGTAAATT CCATCTAAAG CTAAATATTG GTGGGAGACC GATAGCGAAC 300
AAGTACCGTG AGGGAAAGAT GAAAAGAACT TTGGAAAGAG AGTTAAACAG TACCTGAAAT 360
TGCTGAAAGG GAAGCGAAGG AAGTCAGTGT ATGCCGGGGG TCATATTTCG TGCTGCCTTG 420
AGGGGTAGTG CGCGCTGTGT CCCATGGGCT GGTCAGGATG GGTTTGTTCC GCGGGAGATT 480
CCCAGGGTTG AGGTAGGTCC TTTTGGATTG TCAGCAACCC TGTGGCATGT CGTGGTTCGG 540
ACCGAGGCAT TAGTGCACCT TGGTTTGTAC GGTTTTATAT GCGTGATCAT GTCTGTGACA 600
GCATGCTGTG GCGGTTGTGT TATCGTTTAT TTGCCTTGCA TTCCCCGTGC GCTCTAGATC 660
CTGTCAAATG GCTTTCTTCC ACCTCTTGAA AGACGGACCA AGG
<210> 27
<211> 715
<212> DNA
<213> Heterosigma akashiwo
<400> 27
ACCCGCTGAA TTTAAGCATA TAATTAAGGG GAGGAAAAGA AACCAACTCG GATTCCCCTA 60
GTAACGGCGA GTGAAGCGGG AAGAGCTCAT GTTGTAAATC TCCAGCTTGC TGGCGAATTG 120
TAGTCTAAAG GTGCGTGCTC AGTCGTGGTC CCGGGCTAAG TCTGTTGGAA AACAGCATCA 180
TGGACGGTGA CAATCCGGTT CTTGCCTGGG GTCCCGCGGC GTACGAGCCG TTTCCGACGA 240
GTCGTGTTGC TTGGGATTGC AGCACTAAGT GGGTGGTAAA TTCCATCTAA AGCTAAATAT 300
TGGTGGGAGA CCGATAGCGA ACAAGTACCG TGAGGGAAAG ATGAAAAGAC TTTTGAAAAG 360
AGAGTAAAAT AGTACCTGAA ACTGCTGAAA GGGAAGCGAT TGAAGTCAGT GTTGCTCCTG 420
GTCTTTTTGC CGTCGCCCCC GTGGGGGTTG CGGCGTGGGG CCTGGAGCGT TTCAACATGC 480
GTTCTGTTCC GCGGGAAATG TTCAGTGTGC TGGAACTTCG GGGAAACGCA CTGTTCTTGT 540
CGTGGTTAGG ACGGAGGACC TTTGCTCCTT TGACTGCGCG TTCCTCTCTC GGGTATGCTG 600
GTGTCTACTG CTTGCAGTTT TCATTTTCAT GCTTGCGACT GTGCGTGTTA TTCATGAGCG 660
AACATGATGT TGAAGAAATG GCTTTAATTA CCCCGTCTTG AAACACGGAC CAAGG
 <210> 28
 <211> 681
 <212> DNA
```

| 400> 28 | |
|--|-----|
| ACGGAGGAA AAGAATCCAA CTCGGATTCC CTAGTAACGG CGAGTGAAGC GGGAAGAGCT 6 | 60 |
| AAGTTGAAA ATCTGGGTGG GGCCTCCCCA TCCCGAATTG TAGTCTAGAG ACGCGTGCTC 1 | 120 |
| GCCGTGCTC CAGGGCTAAG TCTGTTGGAA AACAGCATCA TGGACGGTGA TAATCCGGTT 1 | 180 |
| TTGCCCTGG GTGTTGCGGT GTACGAGCCG TGATCCACGA GTCGAGTTGC TTGGGATTGC 2 | 240 |
| GCTCTAAGC GGGTGGTAAA TTCCATCTAA AGCTAAATAT TGGTGGGAGA CCGATAGCAA | 300 |
| CAAGTACCG TGAGGGAAAG ATGAAAAGAA CTTTGAAAAG AGAGTTAAAA AGTACCTGAA | 360 |
| TTGCTGAAA GGGAAGCGAA TGAAGTCAGT GTCTGCTCCT GGTTGTATTT TCGGAGTCCC 4 | 420 |
| GCGGGGATT CCGGCACTGT GGCCTGGAGC ATGTCAGGAT GAGTTCTCTG CCGTGGGATA | 480 |
| GTTTGGTGG GATTGGTACC TTCGGGGAAA CCCGCCACTC TTGTCATGGC TTGGACTGAG | 540 |
| TTCCATCTC GCCGTTTGCC TGCCCGTCGC TCTCTGCCGG TTGTTGCTGT CCTACTGCTT | 600 |
| CAGTGCTCA GCTGCAGCTG ACTGACTGTG CGGGTCATGC ATGCGAGGTC AGGATCCTGA | 660 |
| | 681 |
| | |
| | |
| 210> 29 | |
| <211> 20 | |
| <212> DNA | |
| <pre><213> Artificial Sequence</pre> | |
| | |
| <220> | |
| <223> Description of Artificial Sequence: Artificial | |
| | |
| PCR Primer | |
| | |
| <400> 29 | ~ ~ |
| ACCCGCTGAA TTTAAGCATA | 20 |
| | |
| | |
| <210> 30 | |
| <211> 20 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| 4000 | |
| <220> | |
| <223> Description of Artificial Sequence: Artificial | |
| DCD Dwimov | |
| PCR Primer | |
| <400> 30 | |
| | 20 |
| CC11GG1CCG 1G111CAACA | |